

Name: _____ Date: _____

Student Exploration: Photoelectric Effect

Vocabulary: electron volt, frequency, intensity, photoelectric effect, photon, voltage, wavelength, work function

Prior Knowledge Questions (Do these BEFORE using the Gizmo.)


1. Suppose you went bowling, but instead of a bowling ball you rolled a ping pong ball down the alley. What do you think would happen? _____

2. Suppose you rolled a lot of ping pong balls at the bowling pins. Do you think that would change the results of your experiment? Explain. _____

Gizmo Warm-up

The **photoelectric effect** occurs when tiny packets of light, called **photons**, knock electrons away from a metal surface. Only photons with enough energy are able to dislodge electrons.


In the *Photoelectric Effect* Gizmo™, check that the **Wavelength** is 500 nm, the **Intensity** is 50%, the **Voltage** is 0.0 volts, and **Potassium** is selected. Click **Flash the light** to send photons of light (green arrows) toward the surface of a metal plate encased in a vacuum tube.



1. The red dots on the metal plate are electrons. What happens when the photons hit the electrons? _____

2. What happens when the electrons reach the light bulb? _____

When electrons reach the light bulb they complete a circuit, causing the bulb to glow briefly.

Activity A: Wavelength and intensity	<u>Get the Gizmo ready:</u> <ul style="list-style-type: none"> • Check that the Voltage is 0.0 volts. • Check that Potassium is selected. 	
---	---	---

Introduction: Through the centuries, many scientists have debated whether light is a wave or a stream of tiny particles. In the 1800s, most scientists agreed that phenomena such as refraction and diffraction supported the light-as-a-wave theory. However, Albert Einstein's explanation of the photoelectric effect showed that light can act like a stream of particles as well.

Question: How does the **wavelength** and **intensity** of light affect its ability to free electrons from the surface of a material?

1. Observe: Click **Flash the light** with a variety of **Wavelength** values. What do you notice?

2. Observe: Click **Flash the light** with a variety of **Intensity** values. What do you notice?

3. Form hypothesis: Answer the following questions based on what you have observed so far.

A. Which factor determines how many photons will strike the metal? _____

Explain: _____

B. Which factor determines how much energy each photon has? _____

Explain: _____

4. Investigate: Set the **Intensity** to 10%. Uses the Gizmo to determine the largest wavelength that will dislodge an electron from the surface of the metal. What is this value? _____

5. Predict: Set the **Wavelength** to 540 nm. What do you think will happen if you flash the light with an intensity of 10%? What will happen if you flash the light with an intensity of 100%?

(Activity A continued on next page)



Activity A (continued from previous page)

6. Test: Click **Flash the light** with an **Intensity** of 10% and again with an **Intensity** of 100%.

What happened? _____

7. Explore: Set the **Wavelength** to 400 nm. Experiment with different intensities of light.

A. Does the light intensity affect how many electrons are emitted? _____

Explain: _____


B. Does the light intensity affect the energy (speed) of the emitted electrons? _____

Explain: _____

8. Infer: For mechanical waves, such as sound waves or ocean waves, increasing the intensity of the wave increases both the amplitude (height) of the wave and the energy it carries. In that situation, a low-frequency but high-intensity wave should have the same effect as a high-frequency but low-intensity wave. How does light behave differently from this model?

9. Think and discuss: How is firing photons at the surface of a metal analogous to rolling different types of balls at a set of bowling pins? If possible, discuss your answer with your classmates and teacher.



Activity B: Voltage gradients	<u>Get the Gizmo ready:</u> <ul style="list-style-type: none"> • Set the Wavelength to 300 nm, the Intensity to 100%, and the Voltage to 0.0 volts. • Turn on Show voltage gradient. 	
--	--	---

Introduction: The electrons that are freed from the surface of the metal have a specific amount of kinetic energy. Faster electrons have greater energies than slower ones. The energy of emitted electrons is measured by setting up an electrical field that opposes their motion. The **voltage** of the field is a measure of its strength.

Goal: Use a voltage gradient to measure the energy of emitted electrons.

1. **Observe:** Check that **Potassium** is selected. Click **Flash the light** and observe the emitted electrons. Increase the **Voltage** to 1.5 volts, and click **Flash the light** again.

How does the electrical field affect the motion of the emitted electrons? _____

2. **Measure:** The energy of an emitted electron is measured in **electron volts** (eV). An electron with an energy of 1 eV can overcome an electrical field of 1 volt. In the Gizmo, increase the voltage until you find the highest voltage that still allows the electrons to reach the light bulb.

What is this value? _____ It is equal to the energy of the emitted electrons in eV.


3. **Gather data:** With the **Wavelength** set to 300 nm, measure the energy of emitted electrons for potassium, calcium, and uranium. Then measure the same values with wavelengths of 250 nm and 200 nm to complete the table.

Element	Energy of emitted electrons (eV)		
	300 nm	250 nm	200 nm
Potassium			
Calcium			
Uranium			

4. **Analyze:** What patterns do you notice in your data? _____

5. **Infer:** Based on your data, which element is hardest to extract electrons from? _____

Explain: _____

Activity C: Work functions	<u>Get the Gizmo ready:</u> <ul style="list-style-type: none"> • Set the Voltage to 0.0 volts and select Potassium. • You will need a calculator and a copy of the periodic table of the elements for this activity. 	
---	--	---

Introduction: It is easier to remove electrons from some elements than others. The energy required to free an electron from the surface of a solid is the **work function** of the element.

Question: How much energy is required to liberate electrons from a material?

1. **Predict:** In general, the difficulty of removing electrons increases from left to right across each row of the periodic table. Look up potassium (K), calcium (Ca), and uranium (U). Based on their positions in the periodic table, which of these elements do you expect to have the lowest work function? Which element will have the highest work function?

Lowest work function: _____ Highest work function: _____

2. **Gather data:** Use the Gizmo to determine the highest wavelength for each element that still removes electrons. Fill in the first column below. (Leave the other columns blank for now.)

Element	Wavelength (nm)	Frequency (Hz)	Work function (eV)
Potassium			
Calcium			
Uranium			

3. **Calculate:** The **frequency** of a wave, measured in hertz (Hz), is the number of waves that passes a point each second. To calculate the frequency (f) of an electromagnetic wave, divide the speed of light (c) by the wavelength (λ):

$$f = \frac{c}{\lambda}$$

The speed of light is 299,792,458 m/s, or approximately 3.0×10^{17} nm/s. Using the equation, calculate the frequency of each wavelength given in the table. Fill in the second column.

4. **Calculate:** The energy of a photon depends on its frequency. The energy of a photon (E) in electron volts is equal to its frequency (f) multiplied by Planck's constant (h):

$$E \text{ (eV)} = h \cdot f$$

In this calculation, h is equal to 4.136×10^{-15} eV·s. Calculate the work function of each element in the table above. (Note: The values in your table are approximations.)

(Activity C continued on next page)



Activity C (continued from previous page)

5. Draw conclusions: Based on the calculated work function for each element, which element holds onto its electrons most tightly? Explain.

6. Think and discuss: When the photoelectric effect was discovered, scientists were surprised that low-frequency light was unable to remove electrons, even when emitted at extremely high intensities. (In other words, scientists expected the low frequency of the light to be offset by its high intensity.)

How does thinking about light as a stream of particles, rather than a single wave, explain this result? If possible, discuss your answer with your classmates and teacher.

